

Message

---

**From:** Bromley, Eugene [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=17F71E77A97E4D82A6623E3063633135-EBROMLEY]  
**Sent:** 6/8/2020 5:16:05 PM  
**To:** Jay Rao [JRao@dcorllc.com]  
**Subject:** RE: New NPDES permit

Jay,

Regarding your questions:

- 1) Reissuance of the permit? – maybe later this year.
- 2) Increased produced water discharge volume? – send me an email with the request including revised volume and justification for the need.

Eugene Bromley  
NPDES Permits Section (WTR-2-3)  
EPA Region 9  
75 Hawthorne Street  
San Francisco, CA 94105  
[bromley.eugene@epa.gov](mailto:bromley.eugene@epa.gov)  
(415) 972-3510  
(415) 947-3549 (fax)

---

**From:** Jay Rao <JRao@dcorllc.com>  
**Sent:** Friday, June 5, 2020 5:13 PM  
**To:** Bromley, Eugene <Bromley.Eugene@epa.gov>  
**Subject:** New NPDES permit

Dear Mr. Eugene Bromley,  
Good afternoon. Trust this finds you and your family very safe and healthy amid this unprecedented pandemic. FYI, as you wanted, we just finished installation of two sampling points at Platform Edith - one each for deck drain and commingled produced water. On Monday, I will send a formal report to you all. Meanwhile, I have two questions for you:

1. When the new NPDES permit is likely to be issued
2. If we ever decide to request you to increase the Max. Annual Allowable Produced Water Discharge Volume, then what is the protocol to be followed.

Have a great weekend,

Best regards,

Jay

-- IMPORTANT INFORMATION: This e-mail, including all attachments, constitutes an electronic communication within the meaning of the "Electronic Communications Privacy Act, 18 USC 2510" and may not be shown, printed or read by anyone other than the intended recipient(s). This message is confidential and may be legally privileged. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution or reproduction of this e-mail is strictly prohibited. If you have received this e-mail in error, please immediately notify us by reply e-mail or telephone at 805-535-2000, then promptly and permanently delete this message. --